



Care Graphic Machinery Ltd  
Green Lane Business Park, Warren Road,  
WF7 6EL Featherstone, West Yorkshire

Phone: +44(0)1977 695500  
Email: sales@caregraphic.co.uk

### Sheetfed 8 Colour

Reference	Machine Description
8686	<b>1999 Komori L 840 P</b> (720 x 1030 mm) Eight colour offset press, Max sheet size: 720 x 1020mm, Convertible 8/0 or 4/4 perfecting, Komori Streamfeeder, Auto plate blanket and imp cyl...

### Sheetfed 6 Colour

Reference	Machine Description
8117D	<b>2012 KBA -Rapida 75 6</b> (750 x 605 mm) Straight Machine Ergonomic Control Console Techkon SpectroDrive Colour Bar Scanner High Pile Feeder Steel Plate In Feeder Autoplate Alcocontro...
8731	<b>2001 Komori L 628</b> (520 x 720 mm) PQC Komorimatic Baldwin chiller Quick Plate Clamps Decurler Powder Spray Steel plate Delivery IVT IR Dryer
8577	<b>2001 Komori L 640</b> (720 x 1030 mm) Plate change APC (automatic plate changer) AMR (automatic-make-ready) KMS - Komori Monitoring System PQC - remote controlled inking IR-Dryer...
8730	<b>2004 Mitsubishi Diamond 3000 6 LX</b> (720 x 1020 mm) Size 72 x 102 cm, Intelligent Press Control (IPC), Semi automatic plate change, Mitsubishi Multi Mode Dampening system with Delta, Baldwin chi...
8383	<b>1990 Roland 606</b> (720 x 1020 mm) Six colour offset press Maximum sheet Size: 530 x 740 mm Steel plate in delivery RCI remote inking Rolandmatic dampening Technotrans Refrigerate...

### Sheetfed 5 Colour

Reference	Machine Description
8723	<b>1992 Heidelberg SM 102 FP</b> (720 x 1020 mm) Perfecting 2/3 5/0, CPC 1-03, CP Tronic, Alcolor, Baldwin chiller, Quick Plate Clamps, Decurler, Grafix Exactomat Powder Spray
8403	<b>2001 Heidelberg SM 52 5</b> (370 x 520 mm) DDS Dampening Laser cut ink Ducts Powder Spray Quick Plate Clamps Availability: immediate
8528D	<b>2003 Heidelberg SM 74 5 PH</b> (520 x 740 mm) CP 2000 Alcolor Preset Auto Blanket Roller Wash Steel Plate Feeder Technotrans Beta d Recirculation Grafix Powder Spray Autoplate Preset Stee...
8611	<b>2012 Heidelberg SX 74 5 H</b> (520 x 740 mm) Maximum sheet size: 53 x 74 cm Prinect Press Center Easy Control (Colour scanning device) Alcolor Vario dampening Technotrans refrigeration Autop...
8373	<b>2011 Heidelberg XL 75 5 LX C</b> (530 x 750 mm) Autoplate XL Prinect Inpress Control Speed 18.000 sheets/hour Prinect Press Center with Wallscreen Preset Plus stream feeder with ramp Double she...

8625

**2003 Mitsubishi Diamond LS 1000 5 + LX (720 x 520 mm)**

Maximum Speed: 15000 IPH, 127 Million Impressions Maximum sheet Size 520 x 720mm Mitsubishi alcohol damping system with Technotrans circulation an...

**Sheetfed 4 Colour**

Reference	Machine Description
8394	<b>1994 Heidelberg CD 102 V+L (720 x 1020 mm)</b> Maximum Sheet Size: 720 x 1020mm Steel plate Feeder ( New Style Square Feeder) CP Tronic CPC 1.03 Autoplate Diagonal Register Automatic Bla...
8465	<b>2004 Heidelberg SM 52 4 (370 x 520 mm)</b> Classic Center CPC 1-04 CP Tronic Autoplate Alcolor Powder spray Low pile Delivery Cleaned & Painted Powder Coated Foot Boards New Rollers...
8464D	<b>1999 Heidelberg SM 52 4P (370 x 520 mm)</b> Perfecting 4/0 2/2 Sheet size 360 x 520 Plus version 15.000 Sheets per hours Autoplate CP Tronic CPC1.04 Alcolor dampening Technotrans Alpha refrigera...
8429	<b>1999 Heidelberg SM 52 4P 3H (370 x 520 mm)</b> CPC, Autoplate, Alcolor, Dampening solution, all wash up devices, Non-stop feeder and delivery, High pile, Dryer IR, Powder spray Alphatronic 200.
8729	<b>1989 Roland 604 3B (720 x 1020 mm)</b>

**Sheetfed 2 Colour**

Reference	Machine Description
8468D	<b>1995 Heidelberg GTO 52 Z+ (360 x 520 mm)</b> Plus version, Alcohol dampening with Royse Space saver recirculation unit, Weko E88 powder spray
8691D	<b>1992 Heidelberg GTO 52 Z+ (360 x 520 mm)</b> 2 Feeder Boards Varn Kompac 3 Dampening Powder Spray Quick Plate Clamps 2 Delivery Trolleys Excellent Condition
8376	<b>1985 Heidelberg GTO 52 ZP+ (360 x 520 mm)</b> Maximum Sheet size 360 x520mm Perfecting 1/1/2/0 2 Feeder Boards Conventional Dampening Quick Action Plate Clamps Powder Spray 2 Delivery Trolleys...
8561	<b>1991 Heidelberg GTO 52 ZP + (360 x 520 mm)</b> Perfecting 2/0/1/1 Maximum sheet Size 360 x 520mm 2 Feeder Boards Conventional Dampening Powder Spray Quick Plate Clamps Numbering & Perforating...
7966	<b>1999 Heidelberg Quickmaster QM 46 (340 x 460 mm)</b> 2 Colour Numbering & Perforating Conventional Dampening 2 Feeder Boards 2 Delivery Trolleys
8669	<b>2001 Heidelberg SM 52 2P (370 x 520 mm)</b> CP Tronic - Register system 425 - Pre-set - Laser cut ink knives - Super Blue transfer jackets - Alcolor dampening - Refrigeration and Recircula...
8670	<b>1997 Heidelberg SM 52 2 P (370 x 520 mm)</b> - CP Tronic - Preset - Chromed impression cylinders - Laser cut ink knives - Perfector 1/1 + 2/0 - Transfer Jackets on transfer cylinders - Alc...
8587D	<b>1986 Heidelberg SM 72 ZP (520 x 720 mm)</b> CPC 102 Alcolor Non stop feeder and delivery Weko Spray Unit High Pile Delivery Bacher Plate Punch
8538D	<b>1998 Ryobi 522 HX</b> Eco 15 Recirculation ACC Ryobimatic Continuous Dampening System Stream Feeder Registrar System
8726	<b>1999 Sakurai 272 EP2</b> Olivermatic dampening system Technotrans Alpha.d refrigeration Automatic ink roller wash Fully automatic perfecting system. Sakurai powder sprayer...

8145                    **1995 Sakurai Oliver 258 EP II**  
12,000 SPH Maximum Sheet Size: 450 x 580 cm 2 Feeder Boards Olivermatic Continuous Dampening system operates with a simple touch button control, co...

8491D                    **Solna 264P** (480 x 640 mm)  
Max Sheet Size 480 x 640 Perfection 2:0/1:1 Alcohol dampening with recirculation Powder Spray

### Sheetfed 1 Colour

Reference	Machine Description
8433	<b>2000 Heidelberg GTO 52 +</b> (360 x 520 mm) Single sheet feeder 2 Feeder Boards DDS Dampening Quick Plate Clamps Powder Spray Geared for Numbering 2 Delivery Trolleys Numbering Unit
8068D	<b>1986 Ryobi 530</b> (520 x 365 mm) Max Paper Size 370 x 530 Conventional Dampening Speed 10,000 sph

### Booklet production

Reference	Machine Description
8537D	<b>Duplo System 2000 Booklet Maker</b> Collator DC – 8/32 Lifting Unit LUC-HM Stapler Folder DBM-120 Trimmer DBM-120T Jogger DC-12JR 2.3 Million Clicks

### Carton Gluers

Reference	Machine Description
11465	<b>1983 Bobst Domino 100 M</b> (1000 x mm) Maximum open blank width – 1000 mm Maximum open blank length – 108 mm Can produce: sideseam, lockbottom and four-corner cartons. Friction belt feed...
8678	<b>1987 Bobst Domino 90</b> Equipped for Straight Line & Crashlock Cartons Vibrator on Feeder Prefold device Crash Lock System Electronic Glue System Side Glue Tank Trombon...
7860	<b>1991 Bobst Handypack</b> (400 x 500 mm) semi-automatic packaging device for folder gluers, boxes flat folded max. 400 mm, min. 50 mm, boxes length max. 500 mm, min. 100 mm, standar...
11452	<b>Bobst PCR 880</b> (425 x 700 mm) maximum carton blank width – 880 mm. For production of simple side seam cartons. Belt feed from bottom of pile, and feed gate with pressure cla...
8700	<b>1986 Jagenberg Diana 105</b> Equipped to produce Straight line and Crashlock Cartons Vibrator on Feeder Pre fold HHS Electronic Glue System 6 Guns Side Glue Tank Kicker Coun...
8700	<b>Jagenberg Diana 105-2</b> Year: Circa 1986 Equipped to produce Straight line and Crashlock Cartons Vibrator on Feeder Pre fold HHS Electronic Glue System 6 Guns Side Glue...

### Corrugated Board Equipment

Reference	Machine Description
11492	<b>1975 Bobst 1575</b> (1055 x 1575 mm) fully revised by V.I.M. 2013 Maximum sheet size – 1055 x 1575 mm Corrugated up to – 9 mm Solid board from – 1 mm Maximum speed – 4,500 s.p.h. Vac...

### CTP-Systems

Reference	Machine Description
8506	<b>2004 AGFA Palladio 30 CTP System</b> Plate Sizes 360 x 520 & 520 x 740 mm 2 Plate Trays Agfa Palladio 30 Plate Processor VCF 85 Washing unit Advandt PST 26 Plate Stacker 2005

**Die Cutters - Automatic and Handfed**

Reference	Machine Description
7846	<b>1986 Blumer D 18 M</b> Hand Feed Station Hydraulic Clamping Safety Guarding Extended Chute Delivery
8699	<b>2001 Bobst 102 SE</b> Maximum Speed 7,500 SPH Maximum Sheet Size: 720 x 1020 mm 30,000 Hours Left Hand Pull Side Lay Right Hand Pull Side Lay 4 Front Lays Non Stop F...
8708	<b>2006 Bobst Commercial 106</b> Non stop feeder with Steel Plate Left and Right hand Pull lays Double Sheet Detector 4 Front Lays Double Action stripper Cube Touch Screen Comput...
SH1	<b>1993 Bobst Easy Press 103</b> For the Production of Sample Cartons The Bobst Easy Press allows you to Die Cut 1 sheet at a time to ensure Dies have been made correctly and also...
11537	<b>2004 BOBST SP104E AUTOPLATEN (4170 x 2670 mm)</b> Maximum sheet size – 740 x 1040 mm Maximum sheet size – 740 x 1040 mm Minimum sheer size – 350 x 400 mm Maximum speed – 8,500 sheets per hour. Max...
8718	<b>1962 Bobst SP 1080 E (1080 x 780 mm)</b> Max size 720 x 1020 mm Min. size 350x300 mm 1 Chase 1 Plate 1 Stripper., Pressure 180 tons, 4.500 sh/hour
11551	<b>1965 Bobst SP 1260E Autoplatten</b> Max sheet size 920 x 1260 mm Min sheet size 350 x 500 mm Max pressure 500 t Max speed 4.500 s.p.h Steel Plate in Feeder Left Hand Sidelay 4 Fron...
11550	<b>1972 Bobst SP 1420 E Autoplatten</b> Maximum sheet size – 1000 x 1420 mm. Minimum sheet size – 500 x 700 mm. Impressional strength – 600 tons. Speed – up to 4,500 s.p.h. Stock convert...
8719	<b>Crosland APD (640 x 900 mm)</b> Maximum Sheet Size 660 x 940 mm Minimum Sheet Size 302 x 340 mm Maximum Speed 5,000 sph Maximum platen pressure 200 tonnes Automatic Suction Strea...
8524	<b>2009 Heidelberg Dymatrix 105 CS</b> 9000 Sheets per hour 63A Electric supply required New Chains 2014 Non Stop Feeder Model W4 Centreline Equipment 260 tonnes Pressure Electr...
8405	<b>2007 Heidelberg Dynamatrix 106 CSB</b> Die Cutting + Stripping + Blanking Centerline cut Maximum punching speed: 9,000 sheets / hour Chase change equipment 2 set each chase and plate 1...
8720	<b>Heidelberg SB (770 x 540 mm)</b> 540 x 770 mm
8721	<b>Heidelberg SBD (640 x 900 mm)</b> Maximum sheet size 640 mm x 900 mm Recently Rebuilt Diecutter Grey Model
8292	<b>Heidelberg S Cylinder (720 x 540 mm)</b> Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily access to Form; Gear Rack f...
11521	<b>1999 Iberica JRK 105 Varioplan Automatic Die Cutter &amp; Blanker (1050 x 750 mm)</b> Maximum sheet Size: 750 x 1050mm Maximum Speed: 8,000 SPH Hour Count Circa 20,555 Centerline 1mm Cutting plate Double action Stripper Blanker G...
11493	<b>ijima BF 1270 (940 x 1270 mm)</b> maximum sheet size – 940 x 1270 mm maximum speed – 5,000 s.p.h. maximum cutting pressure – 600 tons Deep pile suction feeder. Front and side regis...

8603D	<b>2007 Midas Platen 1400x1800mm</b> (1400 x 1800 mm) Length 2.1mm Width 2.320mm Height 1.780mm Bed Size 1400x1800mm Cutting plate 1.440 x 1.860mm Max sheet size 1.440 x 1.860mm Pneumatic clutch/bra...
8582D	<b>Rabolini Imperia F</b> (1690 x 1210 mm) Platen size 1120 x 1690 mm SICK Guarding System Pnuematic clutch with dwell device.
8576	<b>1999 Viking Hand Platen</b> (970 x 730 mm) Used for Cutting & Creasing ( Currently used for labels) Maximum Sheet Size: 520 x 720mm Electronic Clutch & Brake Electronic Dwell
8602D	<b>2006 Young Shin Giant 210S</b> Max Sheet Size 2100 x 1500mm / 82.67" x 59.05" Min Sheet Size 1100 x 850mm / 43.30" x 33.46" Max Cutting Size 2100 x 1490mm / 70.86" x 50.78" Min G...

## Die Cutting

Reference	Machine Description
11468	<b>2000 Crosland TVF</b> Maximum sheet size - 1225 x 1692 mm Maximum speed - 960 impressions per hour Modes of operation - inching, single stroke, continuous or continuo...

## Finishing

Reference	Machine Description
7810	<b>2001 Gietz FS 870 Hot Foiler</b> (870 x 560 mm) 22000 hours 3 foil drives High pile delivery 2 honeycombes

## Flatbed

Reference	Machine Description
8601D	<b>2001 Kirby Flexo Printer Slotter</b> (1225 x 3175 mm) 3.1M Length 5.3m (Open) Width 5.5m Height 2.60m Power Req 3-phase 415v (100amp) supply 17kw DC Variable speed Motor Air supply also required appro...

## Folding machines

Reference	Machine Description
8319	<b>1995 GUK K49 4FN</b> 8 Page Flat Pile Feeder Gemser Soft touch Control buttons 4 Folding Plates 1 Electronic Knife Danalec Batch Counter Delivery Unit
8564	<b>MBO K52 4KL</b> (520 x 720 mm) Maximum Sheet Size 520 x 720mm Flat Pile Feeder Counter 4 Folding Plates 2 Knives Mobile Delivery Pump
8341	<b>2000 Shoei K 52 4 KL</b> 8 Page Year: 2000 Flat Pile Feeder Batch Counter 4 Folding Plates Electronic Knife Mobile Delivery
7964	<b>Shoei Star</b> (650 x 470 mm)
8573	<b>2004 Stahl TD 78 6 /4/2</b> (780 x 0 mm) Pallet feeder Tremat Feeder Head Front Air Blower & Side Paddle Blower Digital Controls Batch Counter 6 ParallelFolding Plates with Slitting,...
8571	<b>1999 Stahl Ti 56 6/4/K</b> (560 x 840 mm) Round Pile Feeder Blower and Paddle control Digital Counter Digital Controls 6 Folding plates Slitting & scoring Unit 2 4 Folding Plates Slitting...

## Guillotines/Cutters

Reference	Machine Description
8583D	<b>2006 Perfecta-132 TVC</b> (1320 x 0 mm) Digital Programming With Touch Screen Light Beam Guards Air Table Manuals Tools
8722	<b>Perfecta UC 115</b> (1150 x mm) 2 Side Air Tables, Screen Display, Programmatic, Light Beam Guards, Spare Blades, Jogger with Air Removal, Pile Lift
8728	<b>Polar 107 Guillotine</b> Computa Cut Programme Air Table Light Beam Guards 2 Pile Lifts Spare Blade Video of machine running available
8736	<b>1990 Polar 115 EMC Monitor</b> (1150 x mm) Micro Computer Programme 2 Speed Back Gauge Monitor Keyboard Programming with Static Back Gauge Quick Job Change 99 Prog/1664 Steps Variable Pres...
8469D	<b>1990 Polar 58 EM</b> (580 x mm) Hydraulic Knife Light Beam Guards Adjustable Clamp Pressure Foot Clamp LCD Display Easy Programming Single Phase Model
8674	<b>2012 Schneider Senator 115 H</b> (1150 x 0 mm) Air Tables TFT Colour Monitor Touch Screen Adjustable Clamp Pressure Hydraulic Drive Central Lubrication System Optical Cut Indicator Clamp Cove...
8191	<b>2008 TUS 115</b> (115 x mm) Airtable Programmatic Colour Screen Lightbeam Guards 2 Spare Blades Manuals & Tools
8447	<b>Wohlenberg 115 MCS 2 Guillotine</b> (115 x mm) Airtables Programmatic Spare Blade Knife Changing Equipment Light Beam Guards

## Labels and Forms

Reference	Machine Description
8264	<b>1989 Aquaflex DBSP 1006</b> web width: 250mm unwind with roll lift Fife web guide with splice table 6 x flexo print stations 5 x IR Dryers 1 x GEW UV dryer on 6th print stat...
SH1	<b>2000 Aquaflex Instaprep 13 Inch</b> - Unwind with automatic roll lift with closed loop tension - Web Guide with splice table & automatic clamp system - Variable infeed n...
8051	<b>2004 Edale Sigma 51</b> Max Web width 510 mm Large Capacity Unwind EL web guide Teknek Web Cleaner Infeed module servo driven Auto register control Chamber...
7973	<b>1995 Gallus Arsoma EM410</b> (410 x mm) Ten Colour Flexo Self Adhesive Label Press Max Web Width 410 mm Unwind Unit Web cleaner Sherman GX20 Corona Treating EL Web Guides ...
8735	<b>1999 Mark Andy 2200 10E</b> (250 x mm) Eight Colour Flexo Self Adhesive Label Press Max Web Width 250 mm (10 Inch) 8 x flexo print stations 8 x UV drying Units Turner bar Lamination...

8047            **1995 Nilpeter F2400** (240 x mm)  
Max Web Width 240 mm  
Max Print Width 235 mm  
Repeat Range 140 - 323 mm  
7 Colour Flexo Self Adhesive Label Press  
7 x Flexo Print Units  
Co...

8055            **2005 Nilpeter FA 2500**  
10 - 175 M/Min Max Speed  
7.5 - 15 Inch Web Width  
5 Colour Flexo machine  
Unwind Station  
Fife Web Guide  
Sherman Crona Treater  
Web Vac...

8046            **1985 Webtron 7000**  
Three Colour Flexo Self Adhesive Label Press Web  
  
Web Width 7 Inch  
Unwind  
3 Flexo Printing stations with hot air dryers  
3 die-cut stati...

### Laminating and coating

Reference	Machine Description
8717	<b>2005 Autobond Compact TP 102</b> (760 x 1030 mm) Double Sided Film Laminator Size: 74 x 102 cm Heidelberg Feeder Deep Pile Delivery Tool Temperature Heater Siemens Computer Control slitting Whe...
8568	<b>2008 Autobond Mini 52T</b> Maximum Size: 52 x 74 cm For the automatic laminating of sheets by thermal laminating system Continuous Top Loading Feeder Two Sheet Trip Thermo...
7706	<b>2000 D+K Auto Kote</b> (685 x mm) Capable of running up to 27" (685mm) wide film. Easy clean rollers. State of the art electrically controlled heating system. Even pull from Pull...
11416	<b>1998 Stock Maschinenebau GmbH 14 R 567</b> (1260 x 500 mm) maximum sheet size – 1260 x 1260 mm minimum sheet size – 500 x 500 mm speed – up to 8,000 sheets per hour. Miras non- stop deep pile suction feeder for...

### Packing machines

Reference	Machine Description
8348	<b>2006 Siat Pallet Shrink Wrapper</b> Programmatic

### Paper drilling machines

Reference	Machine Description
7926	<b>Iram</b>
7936	<b>1992 Iram 16 Paper Drill</b>

### Pile turner / elevator

Reference	Machine Description
7847	<b>Busch</b> (750 x 600 mm)

8448 **1996 KRIFFT & ZIPSNER VB 140 RL Pile Turner** (1120 x 790 mm)  
Max. sheet size: 800 x 1200 mm Min. pile height: 650 mm Max. pile height: 1.300 mm Max. stack weight: 1.200 kg Standard machine with air and joggi...

7942 **2006 Perfecta SL 10P Pile Lift**  
Up & Down Loader

6770 **Polar** (800 x 1200 mm)

6769 **Polar** (800 x 1200 mm)

### Saddlestitchers

Reference	Machine Description
6712	<b>Boston</b> (270 x 450 mm)

### Screen printing

Reference	Machine Description
8734	<b>1994 Sakurai Trumax SC 112 A</b> Spot or All Over Screen Unit, UV & IR Dryer Hot Air Knives High Pile Delivery

### Window Patchers

Reference	Machine Description
11402	<b>2004 Accent 800</b> (800 x 520 mm) carton blank maximum - 520 x 800 mm carton blank minimum - 180 x 200 mm materials - 250 to 600 gsm board, E & B flute corrugated window...
7859	<b>1998 Heiber&amp; Schroder WPC 800 Film Window Pick &amp; Place Machine</b> Max/Min Carton Length 100 - 1020mm Max/Min Carton Width 80 - 1100mm Film Thickness 0.2mm - 0.35mm Carton Weight: 250 - 800 g/cm <sup>2</sup> Suction Feed Bel...

### Wire-O Binding

Reference	Machine Description
8396	<b>1995 James Burn Speed Bind BB 43H Wiro Binding Machine</b> High-speed, semi-automatic Wire-O® binding machine capable of binding up to 1,000 books per hour. - The BB43/H features a 17" maximum binding edge...

### Wrapping Machines

Reference	Machine Description
8542	<b>2005 Kempner Shrink Wrap Line L Sealer</b> 2005 KEMPNER AUTOMATIC SHRINKWRAPPER Serial No. 2 Auto Infeed L Sealer Shrink Tunnel
7938	<b>2003 Mini Pack Shrink Wrapper</b>