



Care Graphic Machinery Ltd  
 1 Britannia Business Park, Britannia Way  
 DN14 6ET Goole, East Yorkshire

Phone: +44(0)1977 695500  
 Email: sales@caregraphic.co.uk

### Sheetfed 10 Colour

Reference	Machine Description
9039	<b>2008 Heidelberg SM 74 10P</b> (520 x 740 mm) 240 Million Impressions CP 2000 Axis Control Auto plate Auto Washes Alcolor Vario Incline CombiStar CANopen dampening circulation and ink te...
8953	<b>2004 Heidelberg SM 74-10P</b> (520 x 740 mm) CP 2000 Touch Screen Technology Alcolor with Technotrans Combi Unit Ink Temperature Control Water Cooled System. Preset Autoplate Programmable W...

### Sheetfed 8 Colour

Reference	Machine Description
8942	<b>2002 Heidelberg SM 102 8 P</b> (720 x 1020 mm) Convertible 8/0 or 4/4 Perfecting, Maximum sheet size 720 x 1020mm Steel plate in feeder, Suction tape feed table, Alcolor Vario dampening Tech...
8948	<b>1999 Komori L 840 P</b> (720 x 1030 mm) Eight Colour Offset Press, Max Sheet Size: 720 x 1020mm, Convertible 8/0 or 4/4 Perfecting, Komori Stream Feeder, Auto Plate Blanket and Impress...

### Sheetfed 6 Colour

Reference	Machine Description
8919	<b>1996 Heidelberg CD 102 6 L</b> (720 x 1020 mm) Straight machine NO AUTOPLATE Alcolor dampening CPC 1,04 CP Tronic Technotrans Grafix powder sprayer IR dryer Extended delivery
9048	<b>2001 Heidelberg CD 102 6 LX</b> (720 x 1020 mm) CP 2000 Autoplate Preset Alcolor IR Dryer
9060	<b>1994 Heidelberg CD 102 6 LX</b> (720 x 1020 mm) Six colour with coater and extended delivery. Autoplate, Alcolor, CPC 1.03 13000 Speed/hr, Preset feeder, Automatic Ink and Blanket wash,...
8972	<b>2004 Heidelberg CD 74 6 C</b> (530 x 740 mm) Special features : Computer Controls. Auto Plate Loading Impression : 104 Million Only Additional Mach...
8117	<b>2012 KBA -Rapida 75 6</b> (750 x 605 mm) Straight Machine Ergonomic Control Console Techkon SpectroDrive Colour Bar Scanner High Pile Feeder Steel Plate In Feeder Autoplate Alcocontro...
9015	<b>1994 Komori Lithrone L 628</b> (520 x 720 mm) PQC Komorimatic Baldwin Chiller Quick Plate Clamps Grafix Digitronic Powder Spray

### Sheetfed 5 Colour

Reference	Machine Description
-----------	---------------------

8990	<b>2011 Hans Gronhi GH 525 NP</b> (520 x 370 mm) Max sheet size 520x375mm Stock range 0.04-0.4mm Speed 12,000sph Stream feeder Ultrasonic double sheet detection Pneumatic side lay Semi autom...
8950	<b>2002 Heidelberg CD 74 5 LX</b> (530 x 740 mm) CP2000 Touch Screen Technology Axis Control Alcolor withTechnotrans unit Ink Temperature Control with Technotrans unit Preset Autoplate Program...
9050	<b>2006 Heidelberg SM 52 5 P 3</b> (370 x 520 mm) CP2000 39 million impressions Alcolor dampening Technotrans alpha refrigeration Autoplate Auto roller wash Auto blanket wash Auto impression cy...
8993	<b>2000 Heidelberg SM 74-5P3-L</b> (520 x 740 mm) One Owner From New. Maintained and serviced regardless of cost. CPC 104 CP Tronic Standard Feeder Electronic Sidelay Alcolor Technotrans Recirc...
9038	<b>1997 Heidelberg SM 74 5PH</b> (520 x 740 mm) Perfecting ¼ 5/0 Maximum Sheet Size 520 x 740mm CPC 1-04 CP Tronic Alcolor Baldwin Recirculation Automatic Blanker & roller wash Decurler Powd...
8957	<b>1996 Heidelberg SM 74 5PH</b> (520 x 740 mm) CP Tronic CPC 1.04 Ink and Register Alcolor Dampening with Technotrans Unit with Ink Temperture control Grafix Powder Spray Standard Feeder Stee...
8959	<b>2012 Heidelberg SX 74 5 H</b> (520 x 740 mm) Press Centre Touch Screen Control Console Easy Control Colour Management System Alcolor With Vario Dampening with Technotrans Recirculation Unit Pr...
8945	<b>2006 KBA RA 105 U5 CX</b> Five Colour Offset Press, Fully Auto Plate Change + Pneumatic Plate Bending Device, Cooling Unit, Kersten Anti Static Device, Auto Blanket, Ro...
8958	<b>2013 Komori LS 529+C</b> (530 x 750 mm) HUV System PQC Off Press Control KMS IV Monitoring System AMR PDC S11 Spectrophmeter Komorimatic Dampening with Technotrans Unit With Ink Tempre...
8946	<b>2007 Komori LS 529 M</b> (5300 x 7500 mm) Five colour offset press, PQCS Console, AMR Automatic Make Ready, KMS IV Monitoring System, Grafix Digitronic Sprayer, SAPC, IR dryer Graph...
9020	<b>2005 Mitsubishi Diamond 1000 5 C ED</b> (520 x 740 mm) Maximum Speed: 15000 IPH, 112 Million Impressions Maximum sheet Size 520 x 720mm Nonstop Feeder Steel Plate Feeder Suction feeder Board Electro...
8989	<b>2000 Sakurai 572 ED II</b> (720 x 520 mm) Maximum sheet size: 520 x 720 mm Maximum speed: 13,000 sph 14 Million Impressions Showing on Counter Steel Plate feeder Suction Feed Board Elect...

### Sheetfed 4 Colour

Reference	Machine Description
8394	<b>1994 Heidelberg CD 102 V+L</b> (720 x 1020 mm) Maximum Sheet Size: 720 x 1020mm Steel plate Feeder ( New Style Square Feeder) CP Tronic CPC 1.03 Autoplate Diagonal Register Automatic Bla...
9049	<b>2003 Heidelberg CD 74 4 LX UV</b> (530 x 740 mm) Alcolor Vario CP 2000 Autoplate Preset Combistar Ink Temperature Control All wash ups UV Dryer delivery coating system chambered doctor blade...
8907	<b>1988 Heidelberg GTO 52 VP</b> (360 x 520 mm) Four Colour Perfecter Press. Standard Conventional Dampening. Spray Unit
8970	<b>1990 Heidelberg GTO 52 VP</b> (360 x 520 mm) Max Sheet Size 360 x 520 mm CPC1-02 Alcolor Dampening Baldwin Refrigeration Chrome Impression Cylinders Chrome plate cylinders Static Eliminator...
8915	<b>2005 Heidelberg SM 52 4</b> (370 x 520 mm) 15.000 machine CP2000 Alcolor Automatic Blanket roller & impression wash Technotrans chiller Powder Spray Autoplate Geared for Numbering

9045	<b>2006 Heidelberg SM 74 4 L</b> (520 x 740 mm) Impressions: Circa 36 Million Alcohol dampening unit: ALCOLOR VARIO CP 2000 ImageControl IR-dryer AUTOPLATE ELTEX Antistatic Missing Sheet Cont...
9014	<b>1984 Heidelberg Speedmaster 72 V</b> (520 x 720 mm) Alcohol Dampening Refrigeration Unit Manual Ink ducts Quick Plate Clamps De-curler Chrome Impression Cylinders Weko Powder Spray Pallet Forks Del...
9030	<b>1989 Heidelberg Speedmaster 72 VP</b> (520 x 720 mm) Maximum Sheet Size 520 x 720mm Perfecting 2/2 4/0 Impressions 85 Million Stream feeder CPC 1-02 CP Tronic Alcolor Baldwin Chiller Quick Plate...
8831	<b>1987 Roland Favorit RVFOB</b> (520 x 720 mm) Roland Mabeg pre piling automatic feeder and extended high-pile delivery, standard accessories and electrical driving equipment. Rolandmatic dampenin...

### Sheetfed 2 Colour

Reference	Machine Description
9026	<b>1978 Heidelberg GTO 46 ZP</b> (320 x 460 mm) Maximum Sheet Size: 360 x 460mm Perfecting 1/1 2/0 2 Feeder Boards Conventional Dampening Powder Spray 2 Delivery Trolleys Geared for N+P
8980	<b>1984 Heidelberg GTO 52 Z+</b> (360 x 520 mm) Varn Kompac Dampening System Plus Version Numbering and Perforating Unit 2 Delivery Trolleys
8561	<b>1991 Heidelberg GTO 52 ZP +</b> (360 x 520 mm) Perfecting 2/0/1/1 Maximum sheet Size 360 x 520mm 2 Feeder Boards Conventional Dampening Powder Spray Quick Plate Clamps Numbering & Perforating...
8816	<b>2000 Heidelberg SM 102 2</b> (720 x 1020 mm) CP2000 Console , Manual Ink Ducts, Autoplate , Alcolor, Preset, Autoplate, Powder Spray
8981	<b>1978 Roland Rekord RZP 2C</b> (720 x 1020 mm) Pre loader Steel Plate in Feeder Conventional Dampening Grafix Powder Spray Pallet Forks Delivery
8145	<b>1995 Sakurai Oliver 258 EP II</b> 12,000 SPH Maximum Sheet Size: 450 x 580 cm 2 Feeder Boards Olivermatic Continuous Dampening system operates with a simple touch button control, co...

### Sheetfed 1 Colour

Reference	Machine Description
9053	<b>1979 Heidelberg GTO 46 +</b> (320 x 460 mm) Maximum Sheet Size: 320 x 460 mm 2 Feeder Boards Conventional Dampening Powder Spray Geared For Numbering Numbering & Perforating Unit 2 Delivery...
9043	<b>1990 Heidelberg MO S</b> (480 x 650 mm) Maximum Sheet size 480 x 650mm 2 Feeder Boards High Pile Feeder Stream Feeder Alcohol Dampening Quick Plate Clamps Powder Spray Geared for N+P 5...
8068	<b>1986 Ryobi 530</b> (520 x 365 mm) Max Paper Size 370 x 530 Conventional Dampening Speed 10,000 sph

### Booklet production

Reference	Machine Description
8887	<b>2015 Duplo 600 Bookletmaker</b> Jogger DSC10/60i Collating Tower DSC10/60i Collating Tower DBM600 Stitch Fold Unit DBM600t Foreedge Trimmer DKT Two Knife Trimmer 4 Head with Cen...

### Carton Gluers

Reference	Machine Description
-----------	---------------------

8994	<b>2002 Bobst Media 100 II</b> For Production of Straight Line & Crash Lock Cartons Carton Sizes: Maximum Width 1000 mm Minimum Width 56 mm Maximum Length 600 mm Minimum Lengt...
8880	<b>2006 Bobst Mistral 110 A2 (1100 x 126 mm)</b> Max. blank width 1100 mm Min. blank width 126 mm Max. blank length 800 mm Min. blank length 60 mm All technical equipment for straight-line, Cr...
11452	<b>Bobst PCR 880 (425 x 700 mm)</b> maximum carton blank width – 880 mm. For production of simple side seam cartons. Belt feed from bottom of pile, and feed gate with pressure cla...
9011	<b>2007 MK 650 Carton Gluer</b> MK 650 Carton Gluer Year: 2007 Max blank width 650, Will go up to 690mm Crash Lock, Straight line, Vibrator on Feeder Pre Fold HHS Electronic G...

### CTP-Systems

Reference	Machine Description
8574	<b>2005 Heidelberg Topsetter 102 74 CTP</b> 40 Inch & 28 Inch Plates, 4 Tray Plates, 100 Plates Per Tray, 16 28 inch & 12 40inch Plates Per Hour, 104 ,000 Plates produced Slip Sheet...

### Die Cutters - Automatic and Handfed

Reference	Machine Description
8935	<b>1991 Bobst 102 CE (1020 x 720 mm)</b> Maximum Sheet Size 720 x 1020mm Minimum Sheet Size: 350 x 400mm Maximum Cutting Pressure: 250 Tons Hours 46,000 Speed: 9,000 SPH Raised 30cm Non...
8975	<b>1996 Bobst 102 E II (1020 x 720 mm)</b> Hours: 17,000 Maximum Sheet Size 740 x 1040mm Minimum Sheet Size: 350 x 400mm Speed: 7.500 SPH Cutting Pressure 250 Tons Non Stop feeder Automat...
8937	<b>1997 Bobst 104 CER Autoplatten (740 x 1040 mm)</b> Maximum Sheet Size 740 x 1040mm Minimum Sheet Size: 350 x 400mm Speed: 8,000 SPH Raised 30cm Non Stop feeder Left Hand Pull Lay Right Hand Push...
8960	<b>2006 Bobst 106E Commercial</b> Non stop feeder with Steel Plate Left and Right hand Pull lays Double Sheet Detector 4 Front Lays Double Action stripper Cube Touch Screen Comput...
9010	<b>2009 Bobst 106 LE Vision Cut</b> Hours 18,000 Max size 1060 x 760 mm Min size 400 x 350 mm Maximum Speed 8.000 sheets/h Folding carton up to 4 mm Corrugated board up to 4 mm...
8546	<b>1977 Bobst 900 E (630 x 900 mm)</b> Maximum sheet size: 630 x 900 mm, Minimum sheet size: 295 x 350 mm, Maximum speed: 5,000 s.p.h., Maximum cutting pressure: 180 ton, Deep pile su...
8960	<b>2006 Bobst Commercial 106</b> Non stop feeder with Steel Plate Left and Right hand Pull lays Double Sheet Detector 4 Front Lays Double Action stripper Cube Touch Screen Comput...
8996	<b>1993 Bobst SP 102 SE</b> Maximum sheet size • 720 x 1020 mm Minimum sheer size • 350 x 400 mm Maximum speed • 7,500 sheets per hour. Maximum cutting force • 250 ton. Non-s...
8824	<b>1963 Bobst SP 1260E (1260 x 920 mm)</b> Preloader/Rails & Trolley Left hand Pull Lay 4 Front Lays 1 Chase 1 Plate Stripping Station Non Stop Delivery Steel Plate Delivery
8818	<b>1972 Bobst SP 1420 E</b> Maximum sheet size – 1000 x 1420 mm. Minimum sheet size – 500 x 700 mm. Impressional strength – 600 tons. Speed – up to 4,500 s.p.h. Stock convert...
9046	<b>1985 Bobst SP 142 ER (1420 x 1020 mm)</b> MACHINE FULLY UPGRADED 2005 Sheet size max: 1020x1420 mm Sheet size min.: 500x700 mm Platen pressure max.: 600 tons Production speed: 6000 sph...

8983	<b>Heidelberg Cylinder SBB 56CM X 82 CM</b> (820 x 560 mm) Converted for cutting and creasing
8524	<b>2009 Heidelberg Dymatrix 105 CS</b> 9000 Sheets per hour 63A Electric supply required New Chains 2014 Non Stop Feeder Model W4 Centreline Equipment 260 tonnes Pressure Electr...
9037	<b>Heidelberg SBG</b> Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily access to Form Gear Rack for...
9003	<b>2008 Iberica 105 SPDK</b> (1050 x 750 mm) Raised: 400mm, Non-stop Feeder, Computer Touch Screen Setting, 4 front Lays, Left & Right Hand Sidelay, Center Line, 1mm Cutting Plates,...
8800	<b>2004 Lombardi V10 Ram Punch</b> (260 x 260 mm) With Ram punch dies 100x100mm 50x50mm 34.25x72mm 72x155mm 50x100mm 90x90mm 61x102mm 62x102mm45x65mm 53.97x85...
8582	<b>Rabolini Imperia F</b> (1690 x 1210 mm) Platen size 1120 x 1690 mm SICK Guarding System Pnuematic clutch with dwell device.
8576	<b>1999 Viking Hand Platen</b> (970 x 730 mm) Used for Cutting & Creasing ( Currently used for labels) Maximum Sheet Size: 520 x 720mm Electronic Clutch & Brake Electronic Dwell

### Foil Blockers

Reference	Machine Description
8985	<b>1992 Bobst SP 102 BMA</b> (1020 x 720 mm) Max speed 7500 sph Max sheet size 1020 x 720 mm Min sheet size 400 x 350 mm Steel Plate Feeder Zonal Heated Bed 2 Foil Spindles 2 Honey Comb Ch...
8755	<b>1986 Bobst SP 102 BMA</b> (1020 x 720 mm) Max speed 7500 sph Max sheet size 1020 x 720 mm Min sheet size 400 x 350 mm Substrates Board Guarding and Light Beam Systems for Holographic Posi...
8766	<b>1998 Gietz FSA 790 S Hot Foil Embosing Machine</b> Maximum sheet size 790 x 560mm Minimum sheet size 297 x 210mm Maximum stamping area 720 x 520mm Thermostat adjustable up to 200 deg C Speed: up to...
8956	<b>1972 Johannisberg 104S</b> Max Sheet Size: 720 x 1040mm, Min Sheet Size: 298 x 420mm Max Speed: 3,600 Sph Stream Feeder, Zonal Heated Bed, Touch Screen Computer Controlled...

### Folding machines

Reference	Machine Description
8319	<b>1995 GUK K49 4FN</b> 8 Page Flat Pile Feeder Gemser Soft touch Control buttons 4 Folding Plates 1 Electronic Knife Danalec Batch Counter Delivery Unit
9054	<b>MBO B30 4/4/4/K 32 Page Folder</b> (300 x mm) 32 Page Folder Round Pile Feeder Danalec Counter MBO MS Control Slitting & Perforating 4 Plates Unit 1 4 Plates Unit 2 4 Plates Unit 3 Z 2 M...
9055	<b>MBO B30 4/4/4/K 32 Page Folder</b> (300 x mm) Round Pile Feeder Danalec Counter MBO MS Control Slitting & Perforating 4 Plates Unit 1 4 Plates Unit 2 4 Plates Unit 3 Z 2 Mobile Knife Unit...
9022	<b>1998 Stahl TD 78 4/4/K Folder</b> (780 x 0 mm) 16 Page Folder Round Pile pile Feeder Digital Controls Danalec Counter Mobile Knife Unit Mobile Delivery
9021	<b>1998 Stahl Ti 52 4/4 Folder</b> (520 x 0 mm) 8 Page Folder Flat pile Feeder Tremat feeder Head Digital Controls Danalec Counter Mobile Delivery

## Guillotines/Cutters

Reference	Machine Description
7959	<b>1996 Knorr L 1000 6W</b> (1040 x 1460 mm) pile lift
8873	<b>Knorr RL3 Paper Jogger</b> Size: 520 x 720mm Air Table, Jogger, Cleaned & Checked
9058	<b>1995 Polar 55EM</b> (550 x mm) Max Cutting Width: 55 cm Programmatic 2 Speed Back gauge Airtable Light Beam Guarding Spare Blades Manuals & tools
9042	<b>1992 Polar 76 EM</b> (760 x mm) FFM Light Guards Digital Programme Air Table Manuals and Tools 4 Spare Blades
9017	<b>1988 Polar 76 EM</b> (760 x mm) FFM Light Guards Digital Programme Air Table Manuals and Tools Spare Blade
9029	<b>Polar 90 CE</b> (900 x mm) Micro Cut Computer System Light Beam Guards Air Table Chrome Bed Spare Blades Manuals & tools
9024	<b>2008 Prism 92 Guillotine</b> Programmatic Screen display Airtable Light Beam Guarding Manuals & tools
9056	<b>1998 Schneider 115H S line</b> (1150 x mm) Max Cutting Width: 115 cm Max Cut Depth: 170 cm Monitor Programmatic 2 Speed Back gauge Airtable Left/Right Airtables Light Beam Guarding Spar...
9057	<b>1990 Schneider 115 SC</b> (1150 x 0 mm) Max Cutting Width: 115 cm Max Cut Depth: 170 cm Programmatic 2 Speed Back gauge Airtable Left/Right Airtables Light Beam Guarding Spare Blades...
8984	<b>Schneider Senator 115 SC Guillotine</b> (1150 x 0 mm) Programmable Machine Light Beam Guards Air Table
9005	<b>2000 Wohlenberg 76</b> (760 x 0 mm) Programmable Machine, Light beams, Air table.

## Labels and Forms

Reference	Machine Description
8954	<b>2000 Comco Proglide MSP</b> (406 x mm) Eight Colour Flexo Self Adhesive Label Press Max Web Width 400 mm Eight Flexo Print Units Chilling Drums on All Units Fife Web Guide Web Tension...
8814	<b>2003 Gallus EM 340</b> (340 x mm) Unwind with roll lift Arcotec corona treater Teknek two-sided web cleaner Infeed unit 9 x print station bases 8 x flexo printing heads 9 x IST U...
8868	<b>1994 Mark Andy 4200</b> (250 x 250 mm) Nine colour Self Adhesive flexo Label Press 9 x Flexo Print Units 9 x GEW UV Units Max web width 250 mm (10 Inch) Computerized controls Unwind Un...
8760	<b>1994 Mark Andy 4200</b> (250 x 250 mm) 9 x Flexo Print Units 9 x GEW UV Units Max web width 250 mm (10 Inch) Computerized controls Unwind Unit with Splice Table Web Guide Turner Bar...
8312	<b>1990 Nilpeter F240</b> (240 x 215 mm) Two Colour Flexo Self Adhesive Label Press 2 x Flexo Print Units with reverse angle doctor blades Max web width 240 mm Max Print width 215mm Max p...

## Perfect Binders

Reference	Machine Description
8767	<b>2010 Duplo DPB 500 Perfect Binder</b> Book Block Length 120 to 360mm Book Block Thickness 1 to 51mm Book Block Height 120 to 320mm Cover Length 120 to 360mm Cover Width 250 to 696mm...
9052	<b>1997 Horizon BQ 260 Perfect Binder</b> Hotmelt Perfect binder Horizon BQ 260 With Coverfeeder, milling-station with fume hood and Hotmelt spine and side gluing Size 320 x 650 mm Book t...
8768	<b>2013 Morgana Digi Book 450 Perfect Binder</b> Up to 450 books per hour Touch screen operation Binding length (spine) from 100mm up to 450mm Spine thickness from 2 to 50 mm Spine preparation by...

## Saddlestitchers

Reference	Machine Description
8925	<b>1998 Muller Martini Bravo T</b> Continuous Feeder. Two Up Production Kit. 4 Feeders. Cover Feed. Stitcher with Spare Heads. Rima Stacker. Max book size 480 mm x 320 mm Min...

## Wrapping Machines

Reference	Machine Description
8542	<b>2005 Kempner Shrink Wrap Line L Sealer</b> 2005 KEMPNER AUTOMATIC SHRINKWRAPPER Serial No. 2 Auto Infeed L Sealer Shrink Tunnel